



Ballarpur Industries Limited

August 18, 2025

BSE Ltd.
Corporate Relationship Department,
1st Floor, New Trading Ring,
Rotunda Building, P.J. Towers,
Dalal Street, Fort,
Mumbai 400 001

Code No. 500102
Debt Security Code No. 975156

National Stock Exchange of India Ltd.
Listing Department,
'Exchange Plaza', C/1, Block G,
Bandra-Kurla Complex,
Bandra (E),
Mumbai 400 051

Symbol "BALLARPUR"

Dear Ma'am/Sir,

Sub: Intimation w.r.t Consent to Operate (CTO) as received from Haryana State Pollution Control Board under Regulation 30 of SEBI (Listing Obligations and Disclosure Requirements) Regulations, 2015 ("SEBI Listing Regulations")

Pursuant to Regulation 30 read with Para B of Part A of Schedule III of the SEBI (Listing Obligations and Disclosure Requirements) Regulations, 2015 and in accordance with Master Circular SEBI/HO/CFD/PoD2/CIR/P/0155 dated November 11, 2024, we wish to inform you that the Company has received Consent to Operate (CTO) on August 18, 2025, from the Haryana State Pollution Control Board (HSPCB) for its manufacturing unit at Yamuna Nagar.

The said CTO (No. HSPCB/Consent/313106325YAMCTO111717570 dated August 18, 2025) is valid for the period from August 15, 2025 to September 30, 2029.

A copy of the CTO received is enclosed herewith as Annexure I.

You are requested to kindly take the same on record.

Thanking you,

Yours faithfully,
For **Ballarpur Industries Limited**

Hardik Bharat Patel
Whole Time Director
DIN: 00590663

Encl: A/a.



HARYANA STATE POLLUTION CONTROL BOARD

SCO-131 Sector-17, HUDA Jagadhari Ph.01732-200137 Email:- hspcbroyr@gmail.com

E-mail: hspcb@hry.nic.in



No. HSPCB/Consent/ : 313106325YAMCTO111717570

Dated:18/08/2025

To.

M/s :Ballarpur Industries Limited

Unit : Shree Gopal, Yamuna Nagar -135001, Haryana

Subject: Grant of consent to operate to M/s Ballarpur Industries Limited.

Please refer to your application no. 111717570 received on dated 2025-08-07 in regional office Yamuna Nagar. With reference to your above application for consent to operate, M/s Ballarpur Industries Limited is here by granted consent as per following specification/Terms and conditions.

Consent Under	BOTH
Period of consent	15/08/2025 - 30/09/2029
Industry Type	Pulp & Paper (Large-Agro + wood) , Small Pulp & Paper (agro based-wheat straw/rice husk)
Category	RED
Investment(In Lakh)	253646.17
Total Land Area(Sq. meter)	466076.4
Total Builtup Area(Sq. meter)	279645.8
Quantity of effluent	
1. Trade	9360.0 KL/Day
2. Domestic	1040.0 KL/Day
Number of outlets	2.0
Mode of discharge	
1. Domestic	Drain
2. Trade	Drain
Domestic Effluent Parameters	
1. pH	5.5-9
2. Total Phosphorus	1 mg/l
3. BOD	10 mg/l
4. COD	50 mg/l
5. TSS	20 mg/l
6. Oil & grease	10 mg/l
7. Ammonical-N	50 mg/l
8. Total Nitrogen	10 mg/l
Trade Effluent Parameters	
1. BOD	30 mg/l

2. COD	350 mg/l
3. TSS	50 mg/l
4. pH	7-8.5
Number of stacks	4
Height of stack	
1. Stack no 1 (one coal fired Boiler 35 TPH and one recovery boiler ABL 20 TPH)	67 Mtr.
2. Stack no 2 (2 no coal fired boiler 35 TPH each)	67 Mtr.
3. Stack no. 4 (Coal fired Boiler 35 TPH)	67 Mtr.
4. Stack no. 3 (JMW recovery boiler 15 TPH)	67 Mtr.
Emission parameters	
1. SPM	100 mg/m ³
Product Details	
1. Paper (Writing Printing, Bond, Copier, Cup Paper)	233 Metric Tonnes/day
Capacity of boiler	
1. one coal fired Boiler 35 TPH	35 Ton/hr
2. one recovery boiler ABL 20 TPH	20 Ton/hr
3. one coal fired Boiler 35 TPH	35 Ton/hr
4. JMW recovery boiler 15 TPH	15 Ton/hr
5. Coal fired Boiler 35 TPH	35 Ton/hr
6. one coal fired Boiler 35 TPH	35 Ton/hr
Type of Furnace	
1. NA	
Type of Fuel	
1. Coal	450 Ton/day
2. Black Liquor	322 MTD
3. LSHS	12 MTD
Raw Material Details	
Veener Chips (BD)	50 Metric Tonnes/Day
Bamboo (BD)	38 Metric Tonnes/Day
Popular Logs (BD)	1.0 Metric Tonnes/Day
Eucalyputs Logs (BD)	193 Metric Tonnes/Day
Liquid Chlorine	7.8 Metric Tonnes/Day
Soda Ash	0.5 Metric Tonnes/Day
Sulphuric Acid	3.1 Metric Tonnes/Day

Poly Alum Chloride	4.8 Metric Tonnes/Day
Basoplast8903	198.3 Kg/Day
Popular Veener Chips (BD)	4 Metric Tonnes/Day
Popular Veener waste (BD)	22 Metric Tonnes/Day
Veener Waste (BD)	50 Metric Tonnes/Day
Defoamer	94 Kg/Day
Hydrogen Peroxide	2.3 Metric Tonnes/Day
Printjel100	41.1 Kg/Day
Hardener Cartabond	88.1 Kg/Day
Tri Sodium Phosphate	3.2 Kg/Day
Methonal	0.4 Metric Tonnes/Day
Sodium Chlorate	3.2 Metric Tonnes/Day
IVAX	0.2 Metric Tonnes/Day
Caustic Soda	5.5 Metric Tonnes/Day
Excel	1.3 Metric Tonnes/Day
Tinpal BOP ABIZ	0.13 Metric Tonnes/Day
Poly Alum Chloride	4.8 Metric Tonnes/Day
Tri Sodium Phosphate	3.5 Kg/Day
Coal	470 Metric Tonnes/Day
Morpholin	8.3 Metric Tonnes/Day
Calcium Carbonate	33.4 Metric Tonnes/Day
HCL	2.3 Metric Tonnes/Day
Maize Starch	13.2 Metric Tonnes/Day
Furnace Oil	9.2 Kilo Liters/Day
Lime	20.4 Metric Tonnes/Day
Sodium Sulphate	4.5 Metric Tonnes/Day

*Regional Officer, Yamuna Nagar
Haryana State Pollution Control Board.*

Terms and conditions

1. The applicants shall maintain good house keeping both within factory and in the premises. All hose pipelines valves, storage tanks etc. shall be leak proof. In plant allowable pollutants levels, if specified by State Board should be met strictly.
2. The applicant/company shall comply with and carry out directive/orders issued by the Board in this consent order at all subsequent times without negligence of his /its part. The applicant/company shall be liable for such legal action against him as per provision of the law/act in case of violation of any order/directives. Issued at any time and or non compliance of the terms and conditions of his consent order.
3. The applicant shall make an application for grant of consent at least 90 days before the date of expiry of this consent.

4. Necessary fee as prescribed for obtaining renewal consent shall be paid by the applicant alongwith the consent application.
5. If due to any technological improvement or otherwise this Board is of opinion that all or any of the conditions referred to above required variation (including the change of any control equipment either in whole or in part) this Board shall after giving the applicant an opportunity of being heard vary all or such condition and there upon the applicant shall be bound to comply with the conditions so varied.
6. The industry shall provide adequate arrangement for fighting the accidental leakages, discharge of any pollutants gas/liquids from the vessels, mechanical equipment etc. which are likely to cause environment pollution.
7. The industry shall comply noise pollution (Regulation and control) Rules, 2000.
8. The industry shall comply all the direction/Rules/Instructions as may be issued by the MOEF/CPCB/HSPCB from time to time.
9. The industry shall ensure that various characteristics of the effluents remain within the tolerance limits as specified in EPA Standard and as amended from time to time and at no time the concentration of any characteristics should exceed these limits for discharge.
10. The industry would immediately submit the revised application to the Board in the event of any change in the raw material in process, mode of treatment/discharge of effluent. In case of change of process at any stage during the consent period, the industry shall submit fresh consent application alongwith the consent to operate fee, if found due, which may be on any account and that shall be paid by the industry and the industry would immediately submit the consent application to the Board in the event of any change during the year in the raw material, quantity, quality of the effluent, mode of discharge, treatment facilities etc.
11. The officer/official of the Board shall reserve the right to access for the inspection of the industry in connection with the various process and the treatment facilities. The consent to operate is subject to review by the Board at any time.
12. Permissible limits for any pollutants mentioned in the consent to operate order should not exceed the concentration permitted in the effluent by the Board.
13. The industry shall pay the balance fee, in case it is found due from the industry at any time later on.
14. If the industry fails to adhere to any of the conditions of this consent to operate order, the consent to operate so granted shall automatically lapse.
15. If the industry is closed temporarily at its own, they shall inform the Board and obtain permission before restart of the unit.
16. The industry shall comply all the Directions/ Rules/Instructions issued from time to time by the Board.
17. Industry should adopt water conservation measures to ensure minimum consumption of water in their process. Ground water based proposals of new industries should get clearance from Central Ground Water Authority (CGWA)/ Haryana Water Resources (Conservation, Regulation and Management) Authority (HWRA) for scientific development of precious resource.
18. The industrial/non industrial sector projects shall develop green belt (as applicable) in its premises including periphery, entry and exit, as per notifications/conditions of EC/directions of MOEF/CPCB/SPCB/NGT/ any court of law. In case of stone crushers, hot mix plants, mineral grinding units, screening plants and brick kilns etc., the unit shall develop adequate green belt and erect barrier/barricade/boundary wall as applicable, as per notifications/directions of

MOEF/CPCB/SPCB/NGT/ any court of law.

19. The unit shall develop paved or hard surfaced approach road to the site of unit (including the storage site, if it is at different place) from the nearest public road for transportation of raw material/final product.

Specific Conditions :

1. The unit will submit their fresh analysis report within 01 month after resumed their operation.
2. The unit will deposit the amount of cost of enhancement.
3. The unit will comply with the conditions of the suspension of the closure order.
4. CTO so granted will be without prejudice to any violation made by unit in past & will be deemed cancelled if any such violation come to the notice of the Board at any stage and the conditional CTO so granted will not affect the prosecution action to be initiated against the unit for such past violations caused by the unit.
5. Unit will install all the APCM as per the requirement and the need if any negligence is observed CTO so granted will be deemed cancelled. Sampling will be conducted within one month of commencement of the operation and further validity of the CTO will depend on the outcome of Analysis Report.
6. CTO so granted will be based on the information provided by the unit through online portal, if at any stage any information is found false/wrong the CTO so granted will be deemed cancelled and further action will be initiated as per the provisions of Environmental laws.
7. Unit will not change the quantity of domestic effluent/trade effluent/air emission without prior permission of the Board.
8. Unit will obtain all necessary clearance from all concerned departments.
9. The unit will operate its pollution control devices regularly and will maintain proper logbook for the same.
10. Unit will obtain necessary Authorization HWM Rules, 2016 & will apply for CTO renewal at least 90 days before expiry date of CTO.
11. Unit will maintain good housekeeping and will comply with the provisions of SWM Rules, 2016.
12. Unit will balance fee, if any found at any stage pending against the unit.
13. Unit will comply with all the direction issued time to time by HSPCB, Hon'ble NGT, Hon'ble Punjab & Haryana High Court, Hon'ble Supreme Court of India and other concerned authorities. 12. Unit will keep all the parameters within prescribed limits.
14. That unit will also ensure connectivity of OMD of Emission and Effluent within one month of start of operation with CPCB and HSPCB Portal.
15. That the unit will comply with the charter 3.0 issued by CPCB w.r.t. Pulp and Paper Industry and submit compliance report within 03 months of the start of operation.
16. That the unit will maintain logbooks for energy consumption in all the APCDs installed on the stacks.
17. That the unit will installed energy meter, flow meters on Inlet and Outlet of ETP and STP and maintain the logbook for the same.
18. That the unit will not discharge any untreated/partially treated effluent inside or outside the industry premises.
19. That the unit will comply with the HOWM Rules 2016 and do the scientific management of Hazardous and Others Waste generated from the unit according to the Rules.

20. That the unit will provide display board of the complete information w.r.t. CTO and Hazardous Waste Management on the main gate of the unit.
21. That the unit will obtained the permission from Irrigation Department for discharge of treated effluent in Ditch Drain and submit the copy of the same within 01 month of the start of operation.
22. That the unit will dispose of the Ash generated from the Boilers scientifically in accordance with the provisions of relevant notification and will not dump any Ash in surrounding areas.
23. That the unit will raise the plantation to maintain adequate green belt along the periphery of the industry.
24. That CTO so granted shall become invalid in case of violation of any of the above or Law of Land.

***Regional Officer, Yamuna Nagar
Haryana State Pollution Control Board.***

